Colombo, M. *see* Andreoni, V.
Connil, N., Dousset, X., Onno, B., Pilet, M.F., Breuil, M.F. & Montel, M.C. Enumeration of *Carnobacterium divergens* V41, *Carnobacterium piscicola* V1 and *Lactobacillus brevis* LB62 by *in situ* hybridization – flow cytometry, 302
Conte, M.P. *see* Petrone, G.
Cooney, J. M. & Lauren, D.R. *Trichoderma*/pathogen interactions: measurement of antagonistic chemicals producted at the antagonist/pathogen interface using a tubular bioassay, 283
Cox, J.M. *see* Sullivan, A.M.
Curbishley, S.M. *see* Sartory, D.P.
Cutter, C.N. & Siragusa, G.R. Incorporation of nisin into a meat binding system to inhibit bacteria on beef surfaces, 19
Czikková, S. *see* Lauková, A.

Daskalov, H. *see* Austin, D.A.
Davidson, P.M. *see* Palou, E.
Davies, E. A., Bevis, H.E., Potter, R., Harris, J., Williams, G.C. & Delves-Broughton, J. Research note: The effect of pH on the stability of nisin solution during autoclaving, 186
Davies, K.A. *see* Deere, D.
De Freire Bastos, M. do C. *see* De Oliveira, S.S.
De Oliveira, S.S., Abrantes, J., Cardoso, M., Sordelli, D. & Bastos, M.C.F. Staphylococcal strains involved in bovine mastitis are inhibited by *Staphylococcus aureus* antimicrobial peptides, 287
De Oliveira, S.S., Póvoa, D.C., Dos Santos Nascimento, J., Pereira, M. do S.V., De Siqueira Jr, J.P. & De Freire Bastos, M. do C. Antimicrobial substances produced by *Staphylococcus aureus* strains isolated from cattle in Brazil, 229
De Siqueira Jr, J.P. *see* De Oliveira, S.S.
Deah, K.L. *see* Scott, D.L.
Deere, D., Vesey, G., Ashbolt, N., Davies, K.A., Williams, K.L. & Veal, D. Evaluation of fluorochromes for flow cytometric detection of *Cryptosporidium parvum* oocysts labelled by fluorescent *in situ* hybridization, 352
Del Re, B., Busetto, A., Vignola, G., Sgorbati, B. & Palenzona, D.L. Autoaggregation and adhesion ability in a *Bifidobacterium suis* strain, 307
Dellaglio, F. *see* Zapparoli, G.
Delves-Broughton, J. *see* Davies, E. A.
Di Santo, S. *see* Petrone, G.
Dinning, A.J, Al-Adham, I.S.I., Austin, P. & Collier, P.J. A novel assay for the distribution of pyrithione biocides in bacterial cells, 1
Donoghue, H.D., Spigelman, M., Zias, J., Gernaey-Child, A.M. & Minnikin, D.E. *Mycobacterium tuberculosis* complex DNA in calcified pleura from remains 1400 years old, 265
Dos Santos Nascimento, J. *see* De Oliveira, S.S.
Dousset, X. *see* Connil, N.

Eginton, P.J., Holah, J., Allison, D.G., Handley, P.S. & Gilbert, P. Changes in the strength of attachment of micro-organisms to surfaces following treatment with disinfectants and cleansing agents, 101
Ekelund, K. *see* Nilsson, J.
Evans, J. *see* Chart, H.

Farish, O. *see* Macgregor, S.J.
Farullo, C. *see* Villari, P.
Ferrier, S. *see* Moynihan, P.J.
Field, M. *see* Sartory, D.P.
Fliegerova, K. *see* Pristas, P.
Fouracre, R.A. *see* Macgregor, S.J.
Furr, J.R. *see* Ayres, H.M.
Fussing, V. Genomic relationships of *Actinobacillus pleuropneumoniae* serotype 2 strains evaluated by ribotyping, sequence analysis of ribosomal intergenic regions, and pulsed-field gel electrophoresis, 211
Fyffe, A.E. *see* Scott, D.L.

Gale, P. A SHORT REVIEW Quantitative BSE risk assessment: relating exposure to risk – a short review, 239
Gauthier, E. *see* Tatout, C.
George, S.M. & Peck, M.W. Redox potential affects the measured heat resistance of *Escherichia coli* O157:H7 independently of oxygen concentration, 313
Gernaey-Child, A.M. *see* Donoghue, H.D.
Gilbert, P. *see* Eginton, P.J.
Gillings, M.R. *see* Yeates, C.
Giudici, P., Caggia, C., Pulvirenti, A., Zambonelli, C. & Rainieri, S. Electrophoretic profile of hybrids between cryotolerant and non-cryotolerant *Saccharomyces* strains, 31
Glover, D.J. & Harris, W.J. The use of alkaline phosphatase-labelled oligonucleotide probes as culture confirmation reagents for the identification of commercially important bacteria, 116
Gonzalez, J. *see* Lopez, M.
Gouws, P.A. *see* Mokgatla, R.M.
Gowen, S.R. *see* Aalten, P.M.
Griffith, R.W. *see* Moro, M.H.
Griffiths, M.W. *see* Chen, J.
Guyot, J.-P. *see* Ampe, F.

Handley, P.S. *see* Eginton, P.J.
Hang, Y.D. *see* Wu, L.C.
Harris, J. *see* Davies, E. A.
Harris, W.J. *see* Glover, D.J.

Hayakawa, F. *see* Kimura, T.
Herman, L. *see* Rijpens, N.
Hilton, A.C. & Penn, C.W. Restriction enzyme analysis of randomly amplified polymorphic DNA amplicons of *Salmonella enterica* ser. Enteritidis PT4 and Typhimurium DT104, 158
Hirtenlehner, T. *see* Lis-Balchin, M.
Ho, Y.W. *see* Jin, L.Z.
Hoffman, L.J. *see* Moro, M.H.
Holah, J. *see* Eginton, P.J.
Hoshino, N. *see* Kimura, T.
Hudson, J.A. *see* Chynoweth, R.W.
Hussain, N.H. *see* Rowbury, R. J.

Iinuma, M. *see* Sakagami, Y.

Jahn, D. *see* Rajendran, N.
Jalaludin, S. *see* Jin, L.Z.
Jannes, G. *see* Rijpens, N.
Javorsky, P. *see* Pristas, P.
Je, Y.-H. *see* Park, H.-W.
Jin, B.-R. *see* Park, H.-W.
Jin, L.Z., Ho, Y.W., Abdullah, N. & Jalaludin, S. Acid and bile tolerance of *Lactobacillus* isolated from chicken intestine, 183
Jones, K. *see* Stanley, K.N.
Joseph, R. *see* Bindu, S.
Josephson, K.L. *see* Burr, M.D.
Joynson, J.A. *see* Stephens, P.J.
Juriš, P. *see* Lauková, A.

Kajimura, K. *see* Sakagami, Y.
Kallio, H. *see* Nykänen, A.
Kaneko, S. *see* Mukai, T.
Kang, S.-K. *see* Park, H.-W.
Kantardjiev, T.V. *see* Tabakova, S.V.
Keshri, G., Magan, N. & Voysey, P. Use of an electronic nose for the early detection and differentiation between spoilage fungi, 261
Kim, J.-E. *see* Lee, S.J.
Kim, S.-B. *see* Lee, S.J.
Kimura, T., Hoshino, N., Yamaji, A., Hayakawa, F. & Ando, T. Bactericidal activity of catechin-copper (II) complexes on *Escherichia coli* ATCC11775 in the absence of hydrogen peroxide, 328
Knøchel, S. *see* Rasch, M.
Kwon, G.-S. *see* Lee, S.J.

Lauková, A., Czikková, S., Vasilková, Z., Juris, P. & Mareková, M. Occurrence of bacteriocin production among environmental enterococci, 178
Lauren, D.R. *see* Cooney, J. M.
Le, D. *see* Tan, H.
Lee, S.J., Kim, S.-B., Kim, J.-E., Kwon, G.-S., Yoon, B.-D. & Oh, H.-M. Effects of harvesting method and growth stage on the flocculation of the green alga *Botryococcus braunii*, 14
Li, J. *see* Tan, H.
Lilenbaum, W., Nunes, E.L.C. & Azeredo, M.A.I. Prevalence and antimicrobial susceptibility of staphylococci isolated from the skin surface of clinically normal cats, 224
Lis-Balchin, M., Buchbauer, G., Hirtenlehner, T. & Resch, & M. Antimicrobial activity of *Pelargonium* essential oils added to a quiche-filling as a model food system, 207
Lis-Balchin, M., Buchbauer, G., Ribisch, K. & Wenger, & M.-T. Comparative antibacterial effects of novel *Pelargonium* essential oils and solvent extracts, 135
Longhi, C. *see* Petrone, G.
Lopez, M., Martinez, S., Gonzalez, J., Martin, R. & Bernardo, A. Sensitization of thermally injured spores of *Bacillus stearothermophilus* to sodium benzoate and potassium sorbate, 331
López-Malo, A. *see* Palou, E.

MacGregor, S.J., Rowan, N.J., McIlvaney, L., Anderson, J.G., Fouracre, R.A. & Farish, O. Light inactivation of food-related pathogenic bacteria using a pulsed power source, 67
Mackey, B.M. *see* Masters, C.I.
Magan, N. *see* Keshri, G.
Makkar, H.P.S. *see* Sen, S.
Maqueda, M. *see* Martínez-Bueno, M.
Marahiel, M.A. *see* Rajendran, N.
Mareková, M. *see* Lauková, A.
Martín, I. *see* Martínez-Bueno, M.
Martin, R. *see* Lopez, M.
Martinez, S. *see* Lopez, M.
Martínez-Bueno, M., Valdivia, E., Martín, I., Quirantes, R. & Maqueda, M. Physical mapping of the conjugative plasmid pMB1-1 of *Enterococcus faecalis*, 125
Martinez-Rossi, N.M. *see* Pereira, M.
Masters, C.I., Miles, C.A. & Mackey, B.M. Survival and biological activity of heat damaged DNA, 279
McIlvaney, L. *see* MacGregor, S.J.
Mearns-Spragg, A., Bregu, M., Boyd, K.G. & Burgess, J.G. Cross-species induction and enhancement of antimicrobial activity produced by epibiotic bacteria from marine algae and invertebrates, after exposure to terrestrial bacteria, 142
Miles, C.A. *see* Masters, C.I.
Mimura, M. *see* Sakagami, Y.

Minnikin, D.E. *see* Donoghue, H.D.
Mircheva, V.V. *see* Tabakova, S.V.
Mokgatla, R.M., Brözel, V.S. & Gouws, P.A. Isolation of *Salmonella* resistant to hypochlorous acid from a poultry abattoir, 379
Montel, M.C. *see* Connil, N.
Moro, M.H., Beran, G.W., Hoffman, L.J. & Griffith, R.W. Effects of cold stress on the antimicrobial drug resistance of *Escherichia coli* of the intestinal flora of swine, 251
Morovján, G. *see* Bernáth, S.
Motti, E. *see* Villari, P.
Moynihan, P.J., Ferrier, S., Blomley, S., Wright, W.G. & Russell, R.R.B. Acid production from lactulose by dental plaque bacteria, 173
Muetzel, S. *see* Sen, S.
Mukai, T., Kaneko, S. & Ohori, H. Haemagglutination and glycolipid-binding activities of *Lactobacillus reuteri*, 130

Nilsson, J., Svensson, B., Ekelund, K. & Christiansson, A. A RAPD-PCR method for large-scale typing of *Bacillus cereus*, 168
Nobile, C.G.A. *see* Agelillo, I.F.
Nunes, E.L.C. *see* Lilenbaum, W.
Nykänen, A., Vesanen, S. & Kallio, H. Synergistic antimicrobial effect of nisin whey permeate and lactic acid on microbes isolated from fish, 345

O'leary, A.E. *see* Winters, D.K.
Oh, H.-M. *see* Lee, S.J.
Oh, H.-W. *see* Park, H.-W.
Ohori, H. *see* Mukai, T.
Ohyama, M. *see* Sakagami, Y.
Olsen, E. *see* Yazdankhah, S.P.
Omar, J.-P. *see* Ampe, F.
Onno, B. *see* Connil, N.

Palenzona, D.L. *see* Del Re, B.
Palou, E., López-Malo, A., Barbosa-Cánovas, G.V., Welti-Chanes, J., Davidson, P.M. & Swanson, B.G. Effect of oscillatory high hydrostatic pressure treatments on *Byssochlamys nivea* ascospores suspended in fruit juice concentrates, 375
Park, H.-W., Roh, J.-Y., Je, Y.-H., Jin, B.-R., Oh, H.-W., Park, H.-Y. & Kang, S.-K. Isolation of a non-insecticidal *Bacillus thuringiensis* strain belonging to serotype H8a8b, 62
Park, H.-Y. *see* Park, H.-W.
Parton, A. *see* Sartory, D.P.
Parton, A.C. *see* Sartory, D.P.
Pasteris, S.E. & Strasser De Saad, A.M. Characterization of glycerol kinase and NAD-independent glycerol-3-phosphate dehydrogenase from *Pediococcus pentosaceus* N5p, 93
Pavia, M. *see* Agelillo, I.F.
Payne, D.N. *see* Ayres, H.M.
Peck, M.W. *see* George, S.M.
Penn, C.W. *see* Hilton, A.C.
Pepper, I.L. *see* Burr, M.D.
Pereira, M. & Martinez-Rossi, N.M. The *are*A^r mutations of *Aspergillus nidulans* confer low pH sensitivity in the presence of ammonium as the only nitrogen source, 54
Pereira, M. do S.V. *see* De Oliveira, S.S.
Pesente, P. *see* Zapparoli, G.
Petrone, G., Conte, M.P., Longhi, C., Di Santo, S., Superti, F., Ammendolia, M.G., Valenti, P. & Seganti, L. Natural milk fatty acids affect survival and invasiveness of *Listeria monocytogenes*, 362
Pilet, M.F. *see* Connil, N.
Pinon, H. *see* Tatout, C.
Piuri, M., Sanchez-Rivas, C. & Ruzal, S.M. A novel antimicrobial activity of a *Paenibacillus polymyxa* strain isolated from regional fermented sausages, 9
Potter, R. *see* Davies, E. A.
Póvoa, D.C. *see* De Oliveira, S.S.
Pristaš, P., Fliegerova, K. & Javorsky, P. Two restriction endonucleases in *Selenomonas ruminantium* subsp. *lactilytica*, 83
Pritchard, A.M. *see* Sartory, D.P.
Pulvirenti, A. *see* Giudici, P.

Quirantes, R. *see* Martínez-Bueno, M.

Rainieri, S. *see* Giudici, P.
Rajendran, N., Rompf, A., Marahiel, M.A. & Jahn, D. Isolation and characterization of a transposon mutant of *Pseudomonas fluorescens* AU63 deficient in antifungal activity against *Pythium ultimum*, 152
Rasch, M. & Knøchel, S. Variations in tolerance of *Listeria monocytogenes* to nisin, pediocin PA-1 and bavaricin A, 275
Reeves, R. *see* Chinivasagam, H.N.
Resch, & M. *see* Lis-Balchin, M.
Ribisch, K. *see* Lis-Balchin, M.
Rijpens, N., Vlaemynck, G., Rossau, R., Herman, L. & Jannes, G. Unidentified *Listeria*-like bacteria isolated from cheese, 198
Roberts, J. *see* Sartory, D.P.
Robertson, P.A.W. *see* Austin, D.A.
Roh, J.-Y. *see* Park, H.-W.
Rompf, A. *see* Rajendran, N.
Rossau, R. *see* Rijpens, N.
Rowan, N.J. *see* Macgregor, S.J.
Rowbury, R. J. & Hussain, N.H. The role of regulatory gene products in alkali sensitization by extracellular medium components in *Escherichia coli*, 193

Rowe, B. *see* Sullivan, A.M.
Russell, A.D. *see* Ayres, H.M.
Russell, R.R.B. *see* Moynihan, P.J.
Ruzal, S.M. *see* Piuri, M.

Sakagami, Y., Mimura, M., Kajimura, K., Yokoyama, H., Iinuma, M., Tanaka, T. & Ohyama, M. Anti-MRSA activity of sophoraflavanone G and synergism with other antibacterial agents, 98
Salmon, R.L. *see* Chart, H.
Sanchez-Rivas, C. *see* Piuri, M.
Sartory, D.P., Field, M., Curbishley, S.M. & Pritchard, A.M. Evaluation of two media for the membrane filtration enumeration of *Clostridium perfringens*, 323
Sartory, D.P., Parton, A., Parton, A.C., Roberts, J. & Bergmann, K. Recovery of *Cryptosporidium* oocysts from small and large volume water samples using a compressed foam filter system, 318
Scott, D.L., Clark, C.W., Fyffe, A.E., Walker, M.D. & Deah, K.L. The differentiation of *Phytophthora* species that are pathogenic on potatoes by an asymmetric PCR combined with single-strand conformation polymorphism analysis, 39
Seganti, L. *see* Petrone, G.
Sen, S., Makkar, H.P.S., Muetzel, S. & Becker, K. Effect of *Quillaja saponaria* saponins and *Yucca schidigera* plant extract on growth of *Escherichia coli*, 35
Sgorbati, B. *see* Del Re, B.
Siragusa, G.R. *see* Cutter, C.N.
Slavik, M.F. *see* Winters, D.K.
Somashekar, D. *see* Bindu, S.
Sordelli, D. *see* De Oliveira, S.S.
Spigelman, M. *see* Donoghue, H.D.
Stanley, K.N. & Jones, K. High frequency of metronidazole resistance among strains of *Campylobacter jejuni* isolated from birds, 247
Stephens, P.J. & Joynson, J.A. Direct inoculation into media containing bile salts and antibiotics is unsuitable for the detection of acid/salt stressed *Escherichia coli* O157:H7, 147
Strasser De Saad, A.M. *see* Pasteris, S.E.
Stratford, M. & Anslow, P.A. Evidence that sorbic acid does not inhibit yeast as a classic 'weak acid preservative', 203
Sullivan, A.M., Ward, L.R., Rowe, B., Woolcock, J.B. & Cox, J.M. Phage types of Australian isolates of *Salmonella enterica* subsp. *enterica* serovar Virchow, 216
Suñen, E. Minimum inhibitory concentration of smoke wood extracts against spoilage and pathogenic micro-organisms associated with food, 45
Superti, F. *see* Petrone, G.
Sutra, L. *see* Aalten, P.M.
Svensson, B. *see* Nilsson, J.
Swanson, B.G. *see* Palou, E.

Tabakova, S.V., Kantardjiev, T.V. & Mircheva, V.V. Antimicrobial effect of tetramethyldithiooxamide and its application as a biocide, 189
Tan, H., Le, D., Li, J., Wei, W. & Yao, S. A rapid method for determination of *in vitro* susceptibility to antibiotics with a bulk acoustic wave bacterial growth biosensor, 57
Tanaka, T. *see* Sakagami, Y.
Tatout, C., Gauthier, E. & Pinon, H. Rapid evaluation in *Escherichia coli* of antisense RNAs and ribozymes, 297
Thom, K. *see* Chynoweth, R.W.
Torre, I. *see* Villari, P.
Torriani, S. *see* Zapparoli, G.

Valdivia, E. *see* Martínez-Bueno, M.
Valenti, P. *see* Petrone, G.
Vasilková, Z. *see* Lauková, A.
Veal, D. *see* Deere, D.
Vesanen, S. *see* Nykänen, A.
Vesey, G. *see* Deere, D.
Vignola, G. *see* Del Re, B.
Villari, P., Motti, E., Farullo, C. & Torre, I. Comparison of conventional culture and PCR methods for the detection of *Legionella pneumophila* in water, 106
Vitour, D. *see* Aalten, P.M.
Vlaemynck, G. *see* Rijpens, N.
Voysey, P. *see* Keshri, G.

Walker, M.D. *see* Scott, D.L.
Wallace, D.K. *see* Austin, D.A.
Ward, L.R. *see* Sullivan, A.M.
Wei, W. *see* Tan, H.
Wellington, E.M.H. *see* Bramwell, P.A.
Welti-Chanes, J. *see* Palou, E.
Wenger, & M.-T. *see* Lis-Balchin, M.
Wiener, P. *see* Bramwell, P.A.
Williams, G.C. *see* Davies, E. A.
Williams, K.L. *see* Deere, D.
Winters, D.K., O'leary, A.E. & Slavik, M.F. Polymerase chain reaction for rapid detection of *Campylobacter jejuni* in artificially contaminated foods, 163
Woolcock, J.B. *see* Sullivan, A.M.
Wright, W.G. *see* Moynihan, P.J.
Wu, L.C. & Hang, Y.D. Purification and characterization of acid proteinase from *Neosartorya fischeri* var. *spinosa* IBT4872, 71

Yamaji, A. *see* Kimura, T.
Yao, S. *see* Tan, H.
Yazdankhah, S.P. & Olsen, E. Simple and direct detection of *Staphylococcus aureus* in milk by a tube coagulase test, 111
Yeates, C. & Gillings, M.R. Rapid purification of DNA from soil for molecular biodiversity analysis, 49
Yokoyama, H. *see* Sakagami, Y.
Yoon, B.-D. *see* Lee, S.J.
Zambonelli, C. *see* Giudici, P.
Zangrossi, M. *see* Andreoni, V.
Zapparoli, G., Torriani, S., Pesente, P. & Dellaglio, F. Design and evaluation of malolactic enzyme gene targeted primers for rapid identification and detection of *Oenococcus oeni* in wine, 243
Zias, J. *see* Donoghue, H.D.

Index of Subjects

A simple bacterial system (Tatout, Gauthier & Pinon) 297
Acid and bile tolerance of *Lactobacillus* (Jin, Ho, Abdullah & Jalaludin) 183
Acid proteinase from *Neosartorya fischeri* var. *spinosa* IBT 4872 (Wu & Hang) 71
Adhesion of *Bifidobacterium suis* (Del Re, Busetto, Vignola, Sgorbati & Palenzona) 307
Aerobic survival of *Campylobacter* (Chynoweth, Hudson & Thom) 341
Aeromonas salmonicida in sediment (Austin, Robertson, Wallace, Daskalov & Austin) 349
Alkali sensitization in *E. coli* (Rowbury & Hussain) 193
Antimicrobial activity of smoke extracts (Suñen) 45
Antimicrobial effect of TMDTOA (Tabakova, Kantardjiev & Mircheva) 189
Antimicrobial resistance and cold stress in swine (Moro, Beran, Hoffman & Griffith) 251
Assay and distribution of pyrithione (Dinning, AL-Adham, Austin & Collier) 1
Bactericidal catechin-copper (II) (Kimura, Hoshino, Yamaji, Hayakawa & Ando) 328
Bacteriocin production by *Paenibacillus polymyxa* (Piuri, Sanchez-Rivas & Ruzal) 9
Bacteriocin tolerance of *L. monocytogenes* (Rasch & Knøchel) 275
Bacteriocin-producing environmental enterococci (Lauková, Czikková, Vasilková, Juriš & Mareková) 178
Bacteriocins of *Staph. aureus* (de Oliveira, Abrantes, Cardoso, Sordelli & Bastos) 287
Bacteriocins of *Staph. aureus* (de Oliveira, Póvoa, dos Santos Nascimento, Pereira, de Siqueira & de Freire Bastos) 229
Biosensing microbial sensitivity (Tan, Le, Li, Wei & Yao) 57
BoNT genes in meat-borne Clostridia (Broda, Boerema & Bell) 219
BSE dose-response curves (Gale) 239
Can *Ps. fragi* cause melanosis? (Chinivasagam, Bremner & Reeves) 5
Characterization of streptomycetes causing scab (Bramwell, Wiener, Akkermans & Wellington) 255
Clonal *A. pleuropneumoniae* serotype 2 (Fussing) 211
Cryptosporidium recovery with foam filters (Sartory, Parton, Parton, Roberts & Bergmann) 318
Degradation of 2,4,6-trichlorophenol by specialized organism and indigenous soil microflora (Andreoni, Baggi, Colombo, Cavalca, Zangrossi & Bernasconi) 86
Detection and enumeration of bacteria (Connil, Dousset, Onno, Pilet, Breuil & Montel) 302
Detection of acid/salt stressed *E. coli* O157:H7 (Stephens & Joynson) 147
Detection of legionellae in water (Villari, Motti, Farullo & Torre) 106
Differentiation of *Phytophthora* ssp. (Scott, Clark, Fyffe, Walker & Deah) 39
Disinfection of dental instruments (Angelillo, Bianco, Nobile & Pavia) 292
Divalent cations and lysis (Ayres, Furr & Russell) 372
Effect of nisin on fish microbes (Nykänen, Vesanen & Kallio) 345
Effect of plant extracts on *E. coli* growth (Sen, Makkar, Muetzel & Becker) 35
Electronic nose for detection of spoilage moulds (Keshri, Magan & Voysey) 261
Enhanced antimicrobial activity by epibiotic bacteria (Mearns-Spragg, Bregu, Boyd & Burgess) 142
Enumeration of *Cl. perfringens* from water (Sartory, Field, Curbishley & Pritchard) 323
Evaluation of SDS-PAGE protein patterns (Bernáth & Morovján) 235
Extraction of RNA from fermented foods (Ampe, ben Omar & Guyot) 270
Flocculation of *Botryococcus braunii* (Lee, Kim, Kim, Kwon, Yoon & Oh) 14
Fluorochromes for FISH to *Cryptosporidium parvum* (Deere, Vesey, Ashbolt, Davies, Williams & Veal) 352
GK and NADI-G3PDH of *Ped. pentosaceus* (Pasteris & Strasser de Saad) 93
Glycolipid-binding of *Lact. reuteri* (Mukai, Kaneko & Ohori) 130
Heat resistance of *Bacillus stearothermophilus* (Lopez, Martinez, Gonzalez, Martin & Bernardo) 331
Hypochlorous resistant *Salmonella* (Mokgatla, Brözel & Gouws) 379
Identification of commercially important bacteria (Glover & Harris) 116
Karyotype of *Saccharomyces* hybrids (Giudici, Caggia, Pulvirenti, Zambonelli & Rainieri) 31
Lactulose and plaque bacteria (Moynihan, Ferrier, Blomley, Wright & Russell) 173
Light inactivation of food-related pathogenic bacteria (MacGregor, Rowan, McIlvaney, Anderson, Fouracre & Farish) 67
Listeria-like bacteria in cheese (Rijpens, Vlaemynck, Rossau, Herman & Jannes) 198
Metronidazole resistance of *Camp. jejuni* (Stanley & Jones) 247
Milk fatty acids inhibit *L. monocytogenes* invasiveness (Petrone, Conte, Longhi, di Santo, Superti, Ammendolia, Valenti & Seganti) 362
Nisin incorporated into a meat binding system (Cutter & Siragusa) 19
Nisin stability (Davies, Bevis, Potter, Harris, Williams & Delves-Broughton) 186
Non-insecticidal *Bacillus thuringiensis* strain (Park, Roh, Je, Jin, Oh, Park & Kang) 62
Non-specific human antibodies to BSA (Chart, Evans, Chalmers & Salmon) 76

Oscillatory HHP (Palou, López-Malo, Barbosa-Cánovas, Welti-Chanes, Davidson & Swanson) 375
PCR differentiation of *E. coli* (Chen & Griffiths) 369
PCR fingerprinting of *Salmonella* (Burr, Josephson & Pepper) 24
PCR for *Camp. jejuni* in foods (Winters, O'Leary & Slavik) 163
Pelargonium essential oils (Lis-Balchin, Buchbauer, Hirtenlehner & Resch) 207
Pelargonium oils and extracts as antimicrobials (Lis-Balchin, Buchbauer, Ribisch & Wenger) 135
Permeabilization for determination of phytase (Bindu, Somashekar & Joseph) 336
Permeabilizing and biocides (Ayres, Payne, Furr & Russell) 79
Phage types of *Salmonella* Virchow (Sullivan, Ward, Rowe, Woolcock & Cox) 216
Plasmid pMB1-1 of *Ent. faecalis* (Martínez-Bueno, Valdivia, Martín, Quirantes & Maqueda) 125
Ps. fluorescens antifungal mutant (Rajendran, Rompf, Marahiel & Jahn) 152
RAPD method for *Bacillus cereus* typing (Nilsson, Svensson, Ekelund & Christiansson) 168
Rapid identification of *O. oeni* (Zapparoli, Torriani, Pesente & Dellaglio) 243
Rapid purification of soil DNA (Yeates & Gillings) 49
Redox potential and *E. coli* O157:H7 (George & Peck) 313
Restriction endonucleases in *S. ruminantium* subsp. *lactylitica* (Pristaš, Fliegerová & Javorsky) 83
RFLP/RAPD of *Salmonella* (Hilton & Penn) 158
Rhizobacteria against nematodes (Aalten, Vitour, Blanvillain, Gowen & Sutra) 357
Sophoraflavanone G anti-MRSA activity (Sakagami, Mimura, Kajimura, Yokoyama, Iinuma, Tanaka & Ohyama) 98
Sorbic acid inhibition of yeast (Stratford and Anslow) 203
Staphylococci isolated from cat skin (Lilenbaum, Nunes & Azeredo) 224
Staphylococcus aureus and tube coagulase test (Yazdankhah & Olsen) 111
Surface-disinfection (Eginton, Holah, Allison, Handley & Gilbert) 101
The *areA*^{r} mutations of *A. nidulans* (Pereira & Martinez-Rossi) 54
Thermal inactivation of plasmid DNA (Masters, Miles & Mackey) 279
Trichoderma pathogen interactions (Cooney & Lauren) 283
Tubercle DNA in ancient pleura (Donoghue, Spigelman, Zias, Gernaey-Child & Minnikin) 265